Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	17	13 AND @ad<"19990517"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 17:22
L13	30	11 AND 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 17:22
L12	239	priority WITH routing WITh path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 17:22
L9	11	4 AND @ad<"19990517"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 17:22
L11	3472	(370/351,395.21,230,235, 237,238).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 17:21
L10	2	("6199124").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 17:21
L4	40	surveillance NEAR network SAME camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 16:48
L8	9	4 AND 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 16:47
L6	12128	field WITH camera WITH view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 16:46

L3	352	surveillance NEAR network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/20 16:45
S175	8	network SAME surveillance SAME (camera OR system) SAME view SAME camera SAME similar$5	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:12
S174	0	S172 AND (view SAME camera SAME similar$5)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:11
S171	241	network NEAR2 surveillance WITH (camera OR system)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:11
S173	6	S172 AND (traffic WITH center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:10
S172	80	S171 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:05
S169	87	S168 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 17:05
S170	8	S169 AND elapsed NEAR2 time	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 15:42
S41	4	S40 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 15:42

S16 8	150	(add$3 OR sum$4 OR combin$3)WITH (priority OR priorities) WITH factor	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/17 14:52
S16 7	14	S166 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 19:51
S16 6	45	migrat$3 NEAR request NEAR4 server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 19:51
S15 8	1	S157 AND migrat$3 NEAR request	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 19:51
S15 4	5	S153 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 19:51
S16 4	1	elaps$3 NEAR time AND S163	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 19:36
S16 3	2	("6199124").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 19:36
S16 2	5	establish$3 WITH routing WITH path WITH neighboring WITH node	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:38
S16 1	13	S160 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:37

S16 0	22	migrating NEAR2 request	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:34
S15 9	11	migrating NEAR request	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:34
S15 7	1	(migrat$3 NEAR5 request)WITH (first NEAR (node OR server) AND second NEAR (node OR server))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:32
S15 6	3	(migrat$3 NEAR2 request)WITH (first AND second) WITH (node OR server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:31
S15 5	20	(migrat$3 AND request). ti.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:29
S15 3	41	S152 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:22
S43	1	S42 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:22
S15 2	44	S151 AND routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:21
S15 1	79	migrat$3 NEAR3 request NEAR4 (node OR server OR terminal)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:21

S150	2	migrat$3 NEAR3 request NEAR4 (node OR server OR terminal)NEAR6(first AND second)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:21
S149	21	migrat$3 WITH request WITH (node OR server)WITH (first AND second)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:20
S148	188	migrat$3 WITH request WITH (node OR server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:14
S147	21	S145 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 18:13
S145	21	S143 AND pre$1empt$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 17:31
S146	11	(("5402478") or ("5832197") or ("6115751") or ("6487289") or ("6490287") or ("6493317") or ("6590867") or ("6826405") or ("20020146103") or ("5991302") or ("6335927") or ("5218676")).PN.	USPAT	OR	OFF	2004/12/16 16:12
S144	21	S143 AND pre$11empt$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:44
S143	139	S141 AND priority SAME routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:44
S142	3	S141 SAME priority SAME routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:44

S14 0	3	S139 SAME priority SAME routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:44
S14 1	4414	(connect$3 OR integrat$3)WITH private WITH (public OR PSTN) WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:43
S13 9	4209	(connect$3 OR integrat$3)WITH private WITH public WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:43
S13 8	14	S137 AND integrat$3 SAME network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 15:41
S13 7	20	S136 AND priority SAME routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB·	SAME	ON	2004/12/16 15:25
S13 6	31	(US-20010056579-$ or US-20020131363-$ or US-20020146103-$ or US-20030191848-$).did. or (US-5218676-$ or US-5402478-$ or US-5832197-$ or US-5881313-$ or US-5933590-$ or US-5953312-$ or US-6115751-$ or US-6188674-$ or US-6199124-$ or US-6308281-$ or US-6323897-$ or US-6400681-$ or US-6424624-$ or US-6480495-$ or US-6487289-$ or US-6490287-$ or US-6493317-$ or US-6496480-$ or US-6590867-$ or US-6618366-$ or US-6754214-$ or US-6757297-$ or US-6826405-$ or US-5991302-$ or US-5583860-$ or US-6215771-$).did. or (WO-200079719-$).did	US-PGPUB ; USPAT; DERWENT	SAME	ON	2004/12/16 15:24

S13 5	2	S134 AND elapsed NEAR4 time	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:26
S13 4	12	S133 AND routing AND path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:26
S13 3	127	S132 AND @ad<"19990527"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:25
S13 0	47	S129 AND @ad<"19990527"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:25
S13 2	225	(multiple OR plural$3) WITH priority WITH factor	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:24
S13 1	8	S130 AND ((first AND second) NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:24
S12 9	68	S128 AND path AND select$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:12
S12 8	96	S127 AND routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:11
S12 7	192	priority WITH assign$5 WITH node WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/16 13:11

S126	14	S125 AND priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 18:35
S125	26	S124 SAME routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 18:32
S124	448	integrat$3 WITH private WITH public WITH network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 18:32
S123	13	pre$1empt$3 WITH path WITH routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 18:31
S119	15	S116 AND pre$1empt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 18:28
S122	5	S121 AND @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 17:52
S121	26	S120 SAME (congest$3 OR fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 17:52
S113	10	S109 AND @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 17:52
S120	1548	using WITh public WITH network WITH ((private OR local)NEAR2 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 17:50

S11 6	106	assign$3 WITH high$2 WITH priority WITH path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 17:49
S11 8	4	S116 AND voip	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:52
S11 7	3	S116 SAME voip	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:52
S11 2	6	S110 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:33
S10 8	11	S107 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:30
S11 1	8	S110 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:29
S11 0	19	S109 AND routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:29
S10 9	27	request NEAR3 associated NEAR3 (first NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:29
S10 7	22	S106 AND path AND routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:05

S10 4	10	S103 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:05
S10 6	76	S105 SAME network SAME (packet OR data OR flow OR request OR message)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:04
S10 5	947	assigning WITH high$2 WITH priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 16:02
S10 3	40	class SAME priority SAME routing SAME path SAME network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/15 15:40
S10 2	8	(("5237695") or ("5633866") or ("5686167") or ("5864542")).PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:39
S10 1	20	S100 AND routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:51
S10 0	27	S99 AND assigning AND higher AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:51
S99	113	class WITH priority WITH path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:50
S98	10	class WITH priority WITH path WITH routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:50

S97	3	PRIORITY WITH path WITH associated WITH ((first OR primary) NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:45
S96	1	PRIORITY WITH path WITH associated WITH (primary NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:42
S95	2	routing WITH path WITH associated WITH (primary NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:42
S94	4	assign$3 NEAR4 priority NEAR3 path NEAR5 routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:40
S93	42	priority NEAR3 path NEAR5 routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:29
S92	38	priority NEAR based NEAR routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 19:27
S91	6	S90 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:57
S90	25	S89 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:57
S89	62	S88 SAME routing SAME path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:56

S88	7115	private NEAR network SAME public	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:56
S87	5	S50 AND S86	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:56
S86	65	S85 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:56
S85	159	priority SAME routing SAME path SAME assign$5	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:53
S69	8	S68 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:53
S84	11	S83 SAME path SAME routing	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:52
S83	2571	assign$3 NEAR2 high$2 NEAR4 priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB·	SAME	ON	2004/12/14 18:46
S82	3	assign$3 NEAR2 high$2 NEAR4 routing NEAR5 path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:46
S81	9	S78 AND S79 AND S80	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:43

S80	136225	path.ti.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:39
S79	14343	routing.ti.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:39
S78	16825	priority.ti.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:39
S77	7	S50 AND S72	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:39
S72	155	(Preempt$3 OR reserv$3) WITH routing WITH path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:37
S76	9	(Preempt$3 OR reserv$3) WITH routing WITH path WITH priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:21
S75	5	S50 AND S74	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:17
S74	70	S72 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:17
S73	11	S72 SAME priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 18:16

S71	10	Preempt$3 WITH routing WITH path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:52
S70	6	policy NEAR3 based NEAR3 routing NEAR5 priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:40
S59	40	S58 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:22
S68	22	S67 AND routing AND path	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:21
S67	43	S65 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:21
S65	140	(integrat$3 OR connecting)NEAR4 (public AND private) NEAR2 network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:21
S66	47	priority WITH (message OR request) WITH associated WITH (first OR second OR public OR private) WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:20
S53	43	priority WITH (message OR request) WITH associated WITH (first OR second) WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:19
S64	12	giv$3 WITH priority WITH (message OR packet OR data) WITH associated WITH (first OR second) WITh network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:17

S63	8	associated WITH first WITH network AND S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:10
S62	27	S61 AND @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:06
S61	57	S56 AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/14 17:06
S60	11094	private network AND public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/14 17:06
S49	21	S48 AND @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:04
S58	118	S57 AND priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/12/14 17:03
S57	334	S56 AND routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/12/14 17:03
S56	1867	integrat$3 first second network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/12/14 17:03
S55	24	S53 AND @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 17:02

S54	1	S50 and S53	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 16:15
S52	9	S50 AND S51	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 16:13
S51	94	Priority SAME rout$3 SAME path SAME network SAME (device OR node OR computer) SAME associat$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 16:10
S38	470	Priority SAME rout$3 SAME path SAME network SAME (device OR node OR computer)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 16:09
S50	4585	(709/238,239,240,241,242, 249,250).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/14 16:08
S25	4133	(709/238,239,240,241,242, 249,250).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/14 16:08
S48	110	S46 AND priority	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:57
S46	359	integrat$3 SAME private SAME network SAME cellular	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:56
S47	2	S38 AND S46	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:43

S45	20	S44 AND @ad<"19990615"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:41
S44	38	S38 SAME (first AND second) SAME network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:15
S42	46	S39 AND ((emergency OR surveillance)SAME network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:13
S40	58	S39 AND ((emergency OR surveillance OR (traffic NEAR monitor$3))SAME network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:13
S39	197	S38 AND ((WAN OR global OR cellular) WITH network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/12/14 15:01
S6	27983	(Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:45
S37	7	(preempt$3 SAME rout$3 SAME path) SAME associat$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:17
S36	76	preempt$3 SAME rout$3 SAME path	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:17
S35	2	((priorit$4 NEAR3 rout$3) SAME assign$3 SAME path) SAME (first NEAR3 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:15
S34	47	(priorit$4 NEAR3 rout$3) SAME assign$3 SAME path	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:15

S33	3343	priorit$4 NEAR3 rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:13
S32	9850	((709/238,239,240,241, 242,249,250).CCLS.) ((709/203,207,225).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:11
S31	6102	(709/203,207,225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/06/23 17:11
S30	12	assign$3 SAME higher SAME priorit$3 SAME (rout$3 OR path) SAME ((first OR Ethernet OR LAN) NEAR3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:07
S29	20	(((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) SAME priorit$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:05
S28	0	(((((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) SAME priorit$3) AND ((709/238, 239,240,241,242,249,250). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:01
S27	208	((709/238,239,240,241, 242,249,250).CCLS.) AND (((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:01
S26	5810	((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:01

S7	5810	((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/23 17:00
S24	2	("6553413").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/06/23 16:13
S23	2	("6577628").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/06/23 10:20
S22	8	priority SAME routing SAME (first ADJ network) SAME nodes	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 19:18
S21	314	(integrat$3 OR coupl$3)SAME((surveillanc e NEAR2 network) OR (first ADJ2 network)) SAME (WAN OR Internet OR Global ADJ network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 19:17
S20	11	(integrat$3 OR coupl$3) NEAR3 ((surveillance NEAR network) OR (first ADJ2 network)) NEAR (WAN OR Internet OR Global ADJ network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 19:16
S12	312	surveillance NEAR network	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 19:06
S19	31	Integrat$3 NEAR2 first NEAR network NEAR3 second NEAR4 network	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 19:02
S18	13	(coupl$3 WITH first WITH second WITH network) AND (assign$3 SAME higher SAME priority SAME (rout$3 OR path))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:57
S17	2	(coupl$3 WITH first WITH second WITH network) SAME (assign$3 SAME higher SAME priority SAME (rout$3 OR path))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:57

S16	10848	coupl$3 WITH first WITH second WITH network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:50
S15	19	(Integrated ADJ Network ADJ System).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:49
S14	49	(assign$3 SAME rout$3 SAME priorit$3) AND (((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:43
S8	1966	assign$3 SAME rout$3 SAME priorit$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:37
S13	4	(surveillance NEAR network) SAME traffic SAME camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:30
S11	2	(((((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) AND (assign$3 SAME rout$3 SAME priorit$3)) AND (((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:25
S10	1015	((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:25
S9	101	(((((Integrat$3 OR connect$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) AND (assign$3 SAME rout$3 SAME priorit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/22 18:19